MOL Dynamic Transit 15W-40 universal motor oil

Viscosity grade: **SAE 15W-40**

Specifications

ACEA E7-08 Issue 2
ACEA E7-08
ACEA E5-02
ACEA E3-96 Issue 4
ACEA A3/B4-10
Global DHD-1
TEDOM 258-3
Caterpillar ECF-1a
Cummins CES 20077
Cummins CES 20076
MACK E-OM Plus
DDC 93K215

Approvals

API CI-4/CF/SL
MB-Approval 228.3
MAN M 3275-1
Volvo VDS-3
Tatra TDS 30/12
Renault RLD-2
MTU Type 2
Cummins CES 20078
Avia
DDC series 2000/4000
ZETOR
Deutz DQC II-10
KAMAZ
Mack EO-N

MOL Dynamic Transit 15W-40 universal motor oil

KAMAZ

ОТКРЫТОЕ АКЦИОНЕРНОЕ ОБЩЕСТВО «КАМАЗ»
НАУЧНО – ТЕХНИЧЕСКИЙ ЦЕНТР
пр. Автозаводский, 2, г. Набережные Челны
республика Татарстан, Россия, 423827
тел. (8552) 39-63-67,55-08-23, факс 37-28-29
e -mail: prgk@kamaz.org
ОГРН 1021602013971

от 16.04.12 № 17-24-2490
на № 07-1/2012 от 13.03.2012 г.

О применении масел MOL-LUB

Генеральному директору
ООО "МОЛ-ЛУБ Русс"
А. Е. Мазаеву

г. Москва, Космодамианская
наб., д. 52, стр. 4

Тел : +7 (495) 967-68-05
Факс: +7 (495) 967-68-06
abm. от 26.04 № 953

Моторные масла MOL Dynamic Transit 10W-40 API CI-4 и MOL Dynamic Transit 15W-40 API CI-4 будут включены в рабочем порядке в перечень горюче-смазочных материалов и спецжидкостей, допущенных для эксплуатации автомобилей КАМАЗ, укомплектованных двигателями Cummins.

И.о.Главного конструктора
по двигателям /Ф.Ф.Искандаров

Хафизова Г.П.
(8552) 55-17-40

MOL Dynamic Transit 15W-40 universal motor oil

API CI-4/CF/SL


energy API

AMERICAN PETROLEUM INSTITUTE

License No: 0636

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and
MOL- LUB PRODUCTION, DISTRIBUTION AND SERVICE
for the period beginning 3/31/2013 and ending 3/31/2014 are as follows:



API SERVICE SYMBOL

Licensee is authorized to display the API Service Symbol on the following products:

BRAND NAME	*SAE VISCOSITY GRADE*	*SERVICE CATEGORY*	*PERFORMANCE DESIGNATION*
MOL DYNAMIC ARCTIC	*5W-40*	*CJ-4/SM*	
MOL DYNAMIC GLOBAL DIESEL	*15W-40*	*CJ-4/SM*	
MOL DYNAMIC GOLD	*5W-30*	*SL*	
MOL DYNAMIC GOLD	*5W-30*	*SM*	
MOL DYNAMIC MAX	*10W-40*	*CJ-4/SL*	
MOL DYNAMIC MAX	*10W-40*	*SL*	
MOL DYNAMIC MK 9	*15W-40*	*CH-4/SL*	
MOL DYNAMIC PRIMA	*5W-40*	*SM*	
MOL DYNAMIC STAR	*0W-30*	*SJ*	
MOL DYNAMIC STAR	*0W-40*	*SJ*	
MOL DYNAMIC SUPER DIESEL	*15W-40*	*SJ*	
MOL DYNAMIC SYNT	*5W-30*	*SL*	*Energy Conserving*
MOL DYNAMIC SYNT D	*5W-30*	*SN*	*Resource Conserving*
MOL DYNAMIC SYNT DIESEL E4	*10W-40*	*CI-4*	
MOL DYNAMIC TRANSIT	*10W-40*	*CI-4*	
MOL DYNAMIC TRANSIT	*10W-40*	*CI-4/SL*	
MOL DYNAMIC TRANSIT	*15W-40*	*CH-4,CI-4/SL*	
MOL DYNAMIC TRANSIT	*15W-40*	*CI-4/SL*	
MOL ESSENCE	*15W-40*	*SJ*	

Engine Oil Licensing and Certification System
1220 L Street, NW • Washington, DC 20005-4070 • USA • www.api.org/eolcs

Copyright 2010 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), and the API Service Symbol ("Donut") are either trademarks or registered trademarks of API in the United States and/or other countries. 2010-186 | 11:10 | 5M

Kevin Ferrick
EOLCS Manager of Operations
Date: 10/1/2013

MB-Approval 228.3

DAIMLER

23241-FB

Daimler AG · 70546 Stuttgart

MOL-LUB Ltd.
Attn. Mr. András Péceli
Fö út. 21
H-2931 ALMÀSFÜZITÖ
HUNGARY

Telefon/Phone +49 7 11 17-	Telefax/Fax +49 7 11 17-	Hauspost-Code/ Internal Code
24801	59756	C401

Ihr Zeichen, Ihre Nachricht vom/ Your reference	Unser Zeichen, unsere Nachricht vom/ Our reference	Name E-Mail	Datum/Date
08.10.2010	EP/MDV F 15450	Mrs Fuchs	07.03.2011

MB-Approval Certificate

MB-Approval for: Engine Oil "MOL Dynamic Transit 15W40"
MB-BeVo-Sheet: 228.3, , SAE-Grade: 15W-40
New Approval - Original

Dear Sir or Madam,

The operating fluid shown above complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 228.3 and is therefore approved for use in Mercedes-Benz vehicles and assemblies. The application range is shown and explained on the sheet 223.2. Our other requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

MB-Approval is valid with date of this certificate and will expire in 5 years at the latest. New approvals have to be applied for in good time.

A 2 litre sample of each formulation (including all SAE grade variants) must be retained at all times, and can be called upon by Daimler AG at any given moment. We will advise the address.

Sincerely
Daimler AG

pp W. Schmid

p.p. W. Schmid

P.P.

p.p. Arndt

820.900.60.003.00.W

Daimler AG, Stuttgart, Germany
Sitz und Registergericht/Domicile and Court of Registry: Stuttgart, HRB-Nr./Commercial Register No.: 19 360
Vorsitzender des Aufsichtsrats/Chairman of the Supervisory Board: Manfred Bischoff
Vorstand/Board of Management: Dieter Zetsche, Vorsitzender/Chairman;
Wolfgang Bernhard, Wilfried Porth, Andreas Renschler, Bodo Uebber, Thomas Weber

Daimler AG
70546 Stuttgart
Telefon/Phone +49 7 11 17-0
Telefax/Fax +49 7 11 17-2 22 44
dialog@daimler.com
www.daimler.com

MAN M 3275-1

MAN Truck & Bus AG

MAN Truck & Bus AG Postfach 44 02 58 90207 Nürnberg

MOL-LUB Ltd.
Mr. András Péceli
Fö u. 21
2931 Almásfüzitö
Ungarn

Ihre Zeichen	Ihre Nachricht vom	Unser Hausruf	Unser Telefax	Unsere Zeichen	Nürnberg,
		0911 420-2005	0911 420-1928	EMTA, Jäger	14.06.2012

Prolongation of approval against M 3275-1 (Multigrades)
Start of approval: 06.07.2010
Prolongation of approval until: 05.07.2015
Marketing area: Europe

Dear Sirs,

we are pleased to inform you, that the approval for the super high performance diesel engine oil bearing the designation

MOL Dynamic Transit 15W-40

has been prolongated for the next three years under MAN approval-no.

TUC 0140/10 for SAE 15W-40

This prolongation is only available for the unchanged formulation and in combination with the original approval letter. The approval will automatically expire at the point in time indicated above, unless an prolongation has been applied for in good time by the maker or supplier.

Yours faithfully,

MAN Truck & Bus AG

This letter was created electronically without signature.

Ursula Jäger

Vorsitzender des Aufsichtsrates: Rupert Stadler
Vorstand: Dr.Ing Georg Pachta-Reyhofen (Sprecher), Jörg Astalosch, Dr. Frank Hiller, Bernd Meierhofer, Dr. Carsten Intra

Sitz der Gesellschaft: München
Commerzbank Aktiengesellschaft, Dachau
IBAN: DE33 7004 0041 0145 0600 00
BLZ 700 400 41 Konto 1450600
BIC: COBADEFFXXX
Stadtsparkassen München
IBAN: DE36 7015 0000 0089 1044 00
BLZ 701 500 00 Konto 89104400
BIC: SSKMDEMM

Registergericht: Amtsgericht München HRB 86 963 | USt-IdNr. DE811125281

MAN Truck & Bus AG
Postfach 44 02 5 90207 Nürnberg
Vogelweiherstraße 33 90441 Nürnberg
Telefon +49 911 420-0 oder -Durchwahl
Telefax +49 911 420 446522
Wagenladungen: Nbg.-Rbf.
Lkw-Sendungen: Nbg.- Vogelweiherstr. 33
www.man-mn.com
Ein Unternehmen der MAN Gruppe

MAN M 3275-1

MAN Nutzfahrzeuge AG

MAN Nutzfahrzeuge Aktiengesellschaft Vogelweiherstraße 33 90441 Nürnberg

MOL-LUB Ltd.
Mr. András Péceli
Fö u. 21
2931 Almásfüzitö
Ungarn

Ihre Zeichen	Ihre Nachricht vom	Unser Hausruf	Unser Telefax	Unsere Zeichen	Nürnberg,
		0911/420-2532	0911/420-1928	MTWV, gey-jä	06.07.2010

Approval according to **M 3275-1 (Multigrades)**
Start of approval: 06.07.2010
End of approval: 05.07.2012
Marketing area: Europe

Dear Sirs

we are pleased to inform you that the super high performance diesel engine oil bearing the designation

MOL Dynamic Transit 15W-40

has been approved by MAN Nutzfahrzeuge Aktiengesellschaft under the MAN approval No.

TUC 0140/10 for SAE 15W-40

This approval is limited and will automatically expire after this period, unless an extension has been applied for in good time by the maker or supplier.

The approval will expire before the end of this period

if the approved formula has been changed
if negative fields results are recorded.

Yours faithfully

MAN Nutzfahrzeuge Aktiengesellschaft

i.V. i.A.

Vorsitzender des Aufsichtsrates: Rupert Stadler
Vorstand: Dr.-Ing. Georg Pachta-Reyhofen (Sprecher), Lars Wrebo
Bernd Maierhofer, Dr. Frank Hiller, Karl Gadesmann
Sitz der Gesellschaft: München
Commerzbank Aktiengesellschaft, Dachau BLZ 700 400 41 Konto 1450600
Stadtsparkasse München BLZ 701 500 00 Konto 89104400
Registergericht: Amtsgericht München HRB 86 963 | USt-IdNr. DE811125281
Ein Unternehmen der MAN Gruppe

MAN Nutzfahrzeuge Aktiengesellschaft
Postfach 44 02 58 · 90207 Nürnberg
Vogelweiherstraße 33 · 90441 Nürnberg
Telefon +49 911 420-0 oder -Durchwahl
Telefax +49 911 446522
Wagenladungen: Nbg.-Rbf.
Lkw-Sendungen: Nbg., Vogelweiherstr. 33
Internet: www.man-mn.com

Form N.002b.E-01.09. QXD

MOL Dynamic Transit 15W-40 universal motor oil

Volvo VDS-3

VOLVO
Volvo Powertrain Corporation

STD 417-0002 approval request

Data supplied by requesting company

Company name:*		MOL-LUB Ltd
Brand name:*		MOL Dynamic Transit
Oil code:		
Viscosity grade:		15W-40
Marketing area:		
Other approvals:	ACEA	E7-08
	API	CI-4
	OEM	MB 228.3, MAN3275, MTU II, Cummins 20078, Renault RLD-2

*) As they shall appear in approved products lists

Date of submission 5-Mar-12

Submitted by
Name: Gábor Cseri/András Péceli
Company: MOL-LUB Ltd

Return approval to:
Name: András Péceli
e-mail: APeceli@MOL.hu

Approval

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault VI RLD-2 compliance	Yes

Approval date: March 13, 2012 **Approval #:** 417-0002-12-225

Validity: Approval expires two years after the approval date.
For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

Signed: Volvo Powertrain Corporation

Bengt Otterholm
Lubricants Coordinator

Disclaimer: This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).

Tatra TDS 30/12

Schválení použitelnosti motorového oleje

MOL Dynamic Transit 15W-40

Motorový olej nesoucí označení MOL Dynamic Transit 15W-40 byl podroben laboratorním testům a na základě jejich výsledků shledán způsobilým pro prodloužení platnosti značky

TDS 30 / 12,

která udává povolené intervaly výměnných lhůt maziva 30 000 km nebo 12 000 l spotřebovaného paliva pro vozidla T 815-2, TERRNo 1 a T 163 vybavená vznětovými motory TATRA řady T3B-928, T3C-928 a T3D-928. Pro výměnu olejové náplně je rozhodující první dosažený ukazatel.

Schválení je limitováno dobou platnosti 3 roky od data udělení. Po této době může být na základě žádosti obnoveno. Schválení může být odebráno, jestliže jsou zaznamenány negativní výsledky v kvalitě, nebo jestliže dojde ke změnám ve formulaci maziva bez vědomí TATRA,a.s.

Datum : 19.1.2011

.....
Ing. Radomír Smolka
Ředitel technického vývoje

002144

MOL Dynamic Transit 15W-40 universal motor oil

Renault RLD-2

VOLVO

Powertrain

MOL LUBRICANTS LIMITED
H-2931 ALMASFUZITO FO U.21
KOMAROM-ESZTERGOM
HUNGARY

Attention de Mr :A PECELI

Date: 12.02.2010
Réf.: Hubert.OGIER

Subject: Lubricant specifications for RENAULT TRUCKS engine

Dear Sir,

Further to your letter dated 08.01.2010, we have understood your intention to announce that some lubricants from your product range, as listed below, meet our latest lubricant specifications for Diesel Euro 2 / Euro 3/ Euro4 and Euro 5 engines, described in latest technical bulletin Nr.B0032/9 May 2009.

MOL DYNAMIC TRANSIT 15W40 Level RLD/RLD-2

You will find RENAULT TRUCKS requirements below with the minimum mandatory performance levels to meet to achieve :

Spécifications RENAULT TRUCKS		***Lubrifiants préconisés RENAULT-TRUCKS-OILS***
RD/RD-2	Renault Drain	Maxima RD ECO 15W30 Maxima RD 15W40
RLD/RLD-2	Renault Long Drain	Maxima RLD ECO 15W30 Maxima RLD 15W40
RXD	Renault Extra Drain	Extensia RXD ECO 5W30 Extensia RXD 10W40
RGD	Renault Gaz Drain	Maxima gaz 7 15W40

Principal supplier to Mack, Renault and Volvo Commercial Vehicles

Volvo Powertrain France
402, avenue Charles de Gaulle - 69806 Saint-Priest Cedex – France
Telephone : +33 (0)4 72 96 81 11
RENAULT TRUCKS SAS au capital de 50.000.000 d'euros 954 506 077 RCS LYON

Renault RLD-2

RD/RD-2 specification defines an engine oil meeting at least *ACEA E3-96 issue 4* classification *+VDS-2.*

RLD/RLD-2 specification defines an engine oil meeting at least ACEA-E7-04 classification+VDS-3.

RXD specification defines an engine oil meeting at least ACEA E4 +E7 classification +VDS-3.

RLD-3 specification defines an engine oil meeting at least ACEA-E9-08 classification +VDS-4.

RGD specification defines a specific lubricant for gas engines that meet the following requirements:

ACEA –E6 level+ VDS3 (excluding engine tests)
TBN = 6/8
Sulphated ash ≤ 1%

With these different claims **RD/RD-2**, **RLD/RLD-2, RXD, RLD-3** and **RGD**, lubricants can only be offered to RENAULT TRUCKS end users unders the full responsibility of your company distributing these lubricants.

In addition, the technical data sheet of each product displaying RENAULT TRUCKS RLD/RLD-2 –RLD-3 or RXD, shall include :

- ACEA classification,
- Satisfactory MACK T12. test

Remaining at your disposal, please accept, dear Sir, our best regards.

P/RENAULT TRUCKS
Responsible
Assistance Technique

JP.ROBERT



P/RENAULT TRUCKS
Recherche et
Développement Moteurs

H.OGIER



MOL Dynamic Transit 15W-40 universal motor oil

Renault RLD-2

VOLVO
Volvo Powertrain Corporation

STD 417-0002 approval request

Data supplied by requesting company

Company name:*		MOL-LUB Ltd
Brand name:*		MOL Dynamic Transit
Oil code:		
Viscosity grade:		15W-40
Marketing area:		
Other approvals:	ACEA	E7-08
	API	CI-4
	OEM	MB 228.3, MAN3275, MTU II, Cummins 20078, Renault RLD-2

*) As they shall appear in approved products lists

Date of submission 5-Mar-12

Submitted by
Name: Gábor Cseri/András Péceli
Company: MOL-LUB Ltd

Return approval to:
Name: András Péceli
e-mail: APeceli@MOL.hu

Approval

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault VI RLD-2 compliance	Yes

Approval date: March 13, 2012 **Approval #:** 417-0002-12-225

Validity: Approval expires two years after the approval date.
For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

Signed: Volvo Powertrain Corporation

Bengt Otterholm
Lubricants Coordinator

Disclaimer: This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).

MTU Type 2

A TOGNUM GROUP COMPANY

Power. Passion. Partnership.

To	MOL LUB Mr. Andras Péceli H - 2931 Almásfüzitö Fö út 21	Sender Dept. From	MTU Friedrichshafen GmbH TQZ Gudrun Keis
Telefax No.	0036 34 526 183	Phone	+49 7541 90 2005
Date	18 December 2012	Telefax No.	+49 7541 90 3973
Page(s)	1	E-mail	gudrun.keis @mtu-online.com

Approval of MOL Dynamic Transit: Extension

Dear Mr. Péceli,

based on the information and test results you provided, as well as our laboratory analyses, the engine oil

MOL Dynamic Transit **SAE 15W-40**
Oil Code

which you submitted for approval meet the requirements for Oil Category 2 and are approved for use in all MTU engines (except Series 8000, 4000-04, 956 TB 31, TB 32, TB 33 and 1600) and DDC engines Series 2000/4000.
The letter of approval does not cover Series 1800 engines.

The approval is valid until

December 2014.

For an extension of this approval, please inform us at least one month before expiration
Please note that any modification of the engine oil will invalidate the approval in accordance with our terms of approval (MTL 5044).

Yours sincerely,

MTU Friedrichshafen GmbH
Gudrun Keis
Gudrun Keis

MTU Friedrichshafen GmbH
Maybachplatz 1
88045 Friedrichshafen/Germany
Phone +49 7541 90-0
Telefax +49 7541 90-5000
www.mtu-online.com

Vorsitzender des Aufsichtsrates/
Chairman of the Supervisory Board:
Andreas Renschler

Geschäftsführung/Board of Management:
Joachim Coers, Vorsitzender/President and CEO
Dr. Ulrich Dohle, Dr. Michael Haidinger, Dieter Royal

Sitz/Domicile: Friedrichshafen
Handelsregister/Register Court: Ulm, Nr./No. HRB 630 227

The information contained in this telefax communication is confidential and/or may be subject to legal non-disclosure restrictions, and may also be attorney-client privileged. This telefax is intended only for the use of the individual or entity named above. If the reader of this message is not the intended recipient or is not responsible for forwarding it to the intended recipient, you are hereby notified that any dissemination, distribution or copy of this communication is strictly prohibited. If this communication has been received in error, please immediately notify us by telephone, collect if necessary, and destroy the original message. Thank you.

K-717-1207

MOL Dynamic Transit 15W-40 universal motor oil

Cummins CES 20078

January 29, 2010

Peter Bartos
MOL-LUB Ltd
21. Fo Street H-2931
Almasfuzito, Hungary
PBartos@MOL.hu

Dear Peter,

CONFORMANCE TO CES 20078 ENGINE OIL SPECIFICATION

Results from tests according to CES 20078 have been presented to Cummins. In view of the results I would like to give the following comments.

The results have been found to be within the CES 20078 limits and hence oils formulated as stated in your request can be labeled as conforming to CES 20078.


The oils shall be used per the ambient temperature and SAE grade guidelines in the engine specific Operation and Maintenance (O & M) manual as well as in any Cummins service documents.

Please notify Cummins Inc. if the formulation of this product changes.

Brand Name: MOL Dynamic Transit 15W-40
SAE Grade: 15W-40

I hope this information will be of assistance to you.

Sincerely,



Shawn D. Whitacre
Chemical Technology

DISCLAIMER: Product registration means the manufacturer or marketer has faithfully collected information pertinent to the requirements of the specification, and with the full intention to conform to the specification. However, it is still the responsibility of the manufacturer or marketer to ensure satisfactory performance of its products in all aspects at all times. Registration for CES 20078 does not waive product liability of the manufacturer or marketer. Cummins does not warrant the performance of non-Cummins products, registered or not.

Cummins Inc.
500 Jackson Street
Columbus, IN 47201 USA
Phone 1 812 377 5000
cummins.com

Revision Date: May 1, 2006

MOL Dynamic Transit 15W-40 universal motor oil

Avia

AVIA ASHOK LEYLAND

Adresát:

SLOVNAFT, a.s., Mazivá
Ing. Peter Ševčík
ved. Technického servisu a nákupu
Vlčie hrdlo 1
824 12 Bratislava

Váš dopis zn.:	Naše značka:	Vyřizuje: Roman Chvála	V Praze dne:
Ze dne: 17.1.2012	TÚ/5600/04/12/Ch	Tel./fax: 2 2514 2828 / 2 2514 2058 E-mail: roman.chvala@aal.cz	2.2.2012

Věc: **Motorové oleje MOL**

Vážený pane inženýre,

oznamujeme Vám, že na základě vyhodnocení současných ukazatelů jakosti a ověřovacích zkoušek souhlasíme s použitím motorových olejů Vaší firmy pro naše motory dle následující tabulky:

SLOVNAFT	SPECIFIKACE			TYP MOTORU					
OBCHODNÍ NÁZEV	SAE	ACEA	API	712	D407	D421.76	D421.85	D422.100	D432.100
MOL Dynamic Synt Diesel	10W-40	E4/E7-08	CI-4	ANO	ANO	ANO	ANO	ANO	ANO
MOL Dynamic Turbo Diesel	15W-40	E2-96	CF-4/CF/SJ	ANO	ANO	NE	NE	NE	NE
MOL Dynamic Transit	15W-40	A3/B4-08 a E3-96, E5-02, E7-08	CI-4/CF/SL	ANO	ANO	ANO	ANO	NE	NE
MOL Dynamic Turbo Plus	15W-40	A3/B4-04 a E2-96	CG-4/CF/SL	ANO	ANO	NE	NE	NE	NE
MOL Dynamic Tornado	5W-30	E4/E7-08, E5-02	CF	ANO	ANO	ANO	ANO	ANO	ANO
MOL Dynamic Transit	10W-40	A3/B4-04 a E3-96, E5-02, E7-08	CI-4/SL	ANO	ANO	ANO	ANO	ANO	ANO

Výměnné lhůty těchto olejů jsou uvedeny v návodech k obsluze vozů AVIA.

Toto schválení platí do 29.2. 2014.

S pozdravem

Ing. Josef Vavřínka
ved. konstrukce
AVIA ASHOK LEYLAND MOTORS s.r.o.
Beranových 140, 199 03 Praha 9
IČ 27422356, DIČ CZ27422356
Technický úsek

Tel: +420 225 141 111
Fax: +420 225 142 051
E-mail: info@aal.cz

IČ: 27422356
DIČ: CZ27422356
Web: www.avia.cz

Avia Ashok Leyland Motors s.r.o., Beranových 140, 199 03 Praha 9
Registrováno Městským soudem v Praze, oddíl C, vložka 112025

Bankovní spojení:
RBS BANK, Praha, ČR účet č. 210817 / 5400
HSBC Bank plc, Praha, ČR účet č. 1018003108 / 8150

AA 00-09-I

Vydáno: 09.2009

A TOGNUM GROUP COMPANY

Power. Passion. Partnership.

To	MOL LUB Mr. Andras Péceli H - 2931 Almásfüzitö Fö út 21	Sender Dept. From	MTU Friedrichshafen GmbH TQZ Gudrun Keis
Telefax No.	0036 34 526 183	Phone	+49 7541 90 2005
Date	18 December 2012	Telefax No.	+49 7541 90 3973
Page(s)	1	E-mail	gudrun.keis @mtu-online.com

Approval of MOL Dynamic Transit: Extension

Dear Mr. Péceli,

based on the information and test results you provided, as well as our laboratory analyses, the engine oil

MOL Dynamic Transit **SAE 15W-40**
Oil Code

which you submitted for approval meet the requirements for Oil Category 2 and are approved for use in all MTU engines (except Series 8000, 4000-04, 956 TB 31, TB 32, TB 33 and 1600) and DDC engines Series 2000/4000.
The letter of approval does not cover Series 1800 engines.

The approval is valid until

December 2014.

For an extension of this approval, please inform us at least one month before expiration
Please note that any modification of the engine oil will invalidate the approval in accordance with our terms of approval (MTL 5044).

Yours sincerely,

MTU Friedrichshafen GmbH
Gudrun Keis
Gudrun Keis

MTU Friedrichshafen GmbH
Maybachplatz 1
88045 Friedrichshafen/Germany
Phone +49 7541 90-0
Telefax +49 7541 90-5000
www.mtu-online.com

Vorsitzender des Aufsichtsrates/
Chairman of the Supervisory Board:
Andreas Renschler

Geschäftsführung/Board of Management:
Joachim Coers, Vorsitzender/President and CEO
Dr. Ulrich Dohle, Dr. Michael Haidinger, Dieter Royal

Sitz/Domicile: Friedrichshafen
Handelsregister/Register Court: Ulm, Nr./No. HRB 630 227

The information contained in this telefax communication is confidential and/or may be subject to legal non-disclosure restrictions, and may also be attorney-client privileged. This telefax is intended only for the use of the individual or entity named above. If the reader of this message is not the intended recipient or is not responsible for forwarding it to the intended recipient, you are hereby notified that any dissemination, distribution or copy of this communication is strictly prohibited. If this communication has been received in error, please immediately notify us by telephone, collect if necessary, and destroy the original message. Thank you.

K-717-1207

MOL Dynamic Transit 15W-40 universal motor oil

ZETOR

VÝVOJOVÝ ÚSTAV TRAKTORŮ, a.s.

SLOVNAFT, a.s., Mazivá
Ing. Peter Ševčík
Technický servis SK,CZ
Vlčie hrdlo 1
824 12 **Bratislava**
Slovenská republika

VUTR / VZ Ing.Petržela /532 196 504 12.12.2008

Subject: **MOL products approved for ZETOR tractors**

Based on your request there were in Vývojový ústav traktorů, a.s. Brno performed field tests of MOL products in Zetor tractors.

- engine oil **MOL Dynamic Transit 15W-40**
- engine oil **MOL Dynamic Turbo Diesel 15W-40**

Based on the test results we here by confirm that Zetor Tractors a.s.

Approved

use of above mentioned products in Zetor series Proxima, Proxima Plus, Proxima Power and Forterra under following conditions:

- Oil drain interval of **MOL Dynamic Transit 15W-40** under normal operation was set up to 500 hours
- Oil drain interval of **MOL Dynamic Turbo Diesel 15W-40** under normal operation was set up to 300 hours

We also confirm that Zetor a.s. acknowledge corporate identity of engine oils **MOL Dynamic Transit 15W-40** and **MOL Farm Protect 15W-40**.

Conclusion:
MOL products will be mentioned in Addition to current Operational Manual, will be published in service bulletin and will be mentioned in new Operational Manual 1/2009 for all Zetor series in production.
Vývojový ústav traktorů, a.s. Brno is contracted authorized representant of tractor manufacturer Zetor Tractors a.s. in field of products approval and technical recommendation issued for Zetor products.

Best Regards

Vývojový ústav traktorů, a.s.
Trnkova 111, 632 00 Brno
IČO: 25324152

Ing. Jiří K O L Á Č E K
director of company

Vývojový ústav traktorů, a.s.
Trnkova 111, 632 00 Brno
IČO: 25324152
DIČ: CZ 25324152
Bankovní spojení:
Komerční banka Brno-venkov
č.účtu 940705850267/0100
Telefon: 544132420
Fax: 544231997
Společnost je zapsána v Obchodním rejstříku vedeném u Krajského soudu v Brně, v oddílu B, vložka 2198

MOL Dynamic Transit 15W-40 universal motor oil

Deutz DQC II-10

22/2011.

The engine company.

DEUTZ

DEUTZ AG · 51057 Köln / Cologne · Deutschland / Germany

MOL-Lub Kft
Mr. András Péceli
Regional OEM Key Account Manager
H-2931 Almásfuzíto Fo.u.21

Hungary

Markus Winkler
Lubricant releases

Ottostraße 1
51149 Köln (Porz-Eil)

Telefon: +49 (0) 221 822-4590
Telefax: +49 (0) 221 822-15-4590
E-Mail: lubricants.de@deutz.com

Cologne, 18th August 2011

Regarding: Your DQC release applications

Dear Sir or Madam,

With reference to your package release applications of 2011-08-03 for the engine oils

Oil code:	DQC class:	Viscosity class:	Sales region:
MOL Dynamic Synt Diesel E4	DQC III-10	10W40	Europe
MOL Dynamic Transit	DQC II-10	15W40	Europe
MOL Dynamic Super Diesel	DQC II-10	15W40	Europe
MOL Dynamic Turbo Diesel	DQC I-02	15W40	Europe

we hereby grant you the non-exclusive right to use the DQC mark for identification of these lubricating oils within the scope of sale of the released lubricating oils under the conditions of our Company Standard H 0685-3 (issue February 2011) which you have accepted without restrictions.
We recommend the claim language: Approved according Deutz DQC III-10, DQC II-10 or DQC I-02.

This right only becomes effective with payment of the fee of 4250 Euro.
The right according to sentence 1 of this letter expires automatically on 2014-08-31. DEUTZ's right to revoke the right at any time for good reason remains unaffected.

Kind regards

i.V. Dr.-Ing. Heiner Bülte

i.A. Dipl.-Ing. Markus Winkler

DEUTZ AG · www.deutz.com
Sitz und Registergericht / Domicile and Register Court: Köln / Cologne
Nr. des Handelsregisters / Commercial Register No.: 42 HRB 281

Vorsitzender des Aufsichtsrates / Chairman of the Supervisory Board: Lars Göran Moberg
Vorstand / Board of Management: Dr.-Ing. Helmut Leube (Vorsitz / Chairman)
Dr. Margarete Haase

Mack EO-N

VOLVO
Volvo Powertrain Corporation

STD 417-0002 approval request

Data supplied by requesting company

Company name:*		MOL-LUB Ltd
Brand name:*		MOL Dynamic Transit
Oil code:		
Viscosity grade:		15W-40
Marketing area:		
Other approvals:	ACEA	E7-08
	API	CI-4
	OEM	MB 228.3, MAN3275, MTU II, Cummins 20078, Renault RLD-2

*) As they shall appear in approved products lists

Date of submission 5-Mar-12

Submitted by
Name: Gábor Cseri/András Péceli
Company: MOL-LUB Ltd

Return approval to:
Name: András Péceli
e-mail: APeceli@MOL.hu

Approval

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault VI RLD-2 compliance	Yes

Approval date: March 13, 2012 **Approval #:** 417-0002-12-225

Validity: Approval expires two years after the approval date.
For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

Signed: Volvo Powertrain Corporation

Bengt Otterholm
Lubricants Coordinator

Disclaimer: This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).